



SIPCAM AGRO USA, INC.

Supplemental Use Directions

FIFRA Sec. 18 Specific Exemption

FOR USE ON WHEAT TO CONTROL FUSARIUM HEAD BLIGHT (SCAB) IN MICHIGAN

Muscle[®] 3.6F

EPA File Symbol 2007-MI-11

All applicable directions, restrictions, and precautions on the registered product label for Muscle 3.6F (EPA Reg. No. 60063-29) are to be followed.

These use directions must be in possession of the user at the time of pesticide application.
Read entire Directions for Use before using this product.

Any adverse effects resulting from the use of Muscle 3.6F under this exemption must be immediately reported to the Michigan Department of Agriculture.

EFFECTIVE PERIOD:

These use directions become effective April 16, 2007 and expire on June 25, 2007

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner that is inconsistent with its labeling. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label for Muscle 3.6F.

A maximum of 250,000 acres of wheat may be treated under this exemption.

Target Diseases	PHI (days)	Muscle 3.6F Rate per Acre	APPLICATION DIRECTIONS
Fusarium head blight (scab)	30	4 fluid ounces	Apply once as a preventive spray during anthesis (flowering), Feekes growth stage 10.5.1. Apply in a minimum of 10 gallons of spray suspension per acre by ground sprayer or in a minimum of 3 gallons of spray suspension per acre by aircraft. Straw cut after harvest may be fed to livestock or used for bedding. Do not apply this product through any type of irrigation system. Do not enter treated areas for 12 hours after application. Do not make more than 1 application of a tebuconazole-containing product to wheat per season.

Environmental Hazards

This pesticide is toxic to estuarine and marine invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate.

Observe the following precautions when spraying in the vicinity of aquatic areas such as lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, and estuaries:

- Apply only during alternate years in fields adjacent to aquatic areas listed above.
- Do not apply by ground or air within 100 feet of aquatic areas listed above.
- Do not cultivate within 10 feet of an aquatic area to allow growth of a vegetative filter strip.

Muscle is a registered trademark of Sipcam Agro USA, Inc.